

Dryset Vacuums



All Cissell Dryset Vacuum units feature a standard polished stainless steel tank. Motor is provided with a corrosion resistant shaft. Power unit has cast aluminum involuted outlet head for better efficiency. Units are provided with soft rubber sleeves, tank seals and tank feet for quiet operation.

Part No. D0133

Cissell Supply Catalog

60 Cycle Models

MODEL		POWER UNIT		
VOLTAGE	POWER UNIT	PART #	HP	TANK PART #
2D1	115/230/60/1	UD10111	3/4	UD10071
2D3	208/230/480/60/3	UD10126	3/4	UD10071
3D1	115/230/60/1	UD10122	3/4	UD10072
3D3	208/230/480/60/3	UD10123	3/4	UD10072
4D1	115/230/60/1	UD10112	1	UD10072
4D3	208/230/480/60/3	UD10113	1	UD10072
6D1	115/230/60/1	UD10114	1	UD10072
6D3	208/230/480/60/3	UD10115	1	UD10072
8D1	115/230/60/1	UD10118	1 1/2	UD10072
8D3	208/230/480/60/3	UD10116	1 1/2	UD10072
12D3	208/230/480/60/3	UD139399	3	UD148399

50 Cycle Models

MODEL		POWER UNIT		
VOLTAGE	POWER UNIT	PART #	HP	TANK PART #
2DX1	115/230/50/1	UD10317	3/4	UD10071
2DX3	240/415/50/3	UD10311	3/4	UD10071
3DX1	115/230/50/1	UD10491	1	UD10072
3DX3	240/415/50/3	UD10492	1	UD10072
4DX1	115/230/50/1	UD10318	1	UD10072
4DX3	240/415/50/3	UD10315	1	UD10072
6DX1	115/230/50/1	UD10319	1	UD10072
6DX3	240/415/50/3	UD10316	1	UD10072
8DX3	240/415/50/3	UD10511	1 1/2	UD10072
12DX3	240/415/50/3	UD138699	3	UD148399



Vacuum Dryset Parts

PART #	DESCRIPTION
BL12206	SHAFT SEAL
BL12600	IMPELLER
BL12609	IMPELLER SPACER 1-9/16"
BL12610	5/8" ALUMINUM SPACER
BL12665	MALE
BL12666	FEMALE
BL12693	SPACER 1-1/16"
IB139	3/8" x 16 x 1-1/4" HEX HEAD CAP SCREW
TU3243	3/8" LOCKWASHER
TU6263	#10-24 x 1/2" SELF TAPPING SCREW
UD10015	SKIRT
UD10022	INTERMEDIATE SPACER RING 1-9/16"
UD10023	INTERMEDIATE SPACER RING 1-9/16"
UD10026	1st INTERMEDIATE SPACER RING 1/2"
UD10061	TANK GASKET
UD10081	SEAL RETAINER
UD10132	INLET COVER
UD10141	INTERMEDIATE SECTION
UD10158	SHAFT NUT
UD102701	OUTLET HEAD
UD10301	COOLING FAN
UD105301	SOFT SLEEVE 2 1/2"
UD105302	SOFT SLEEVE 3"
UD130002	3/4 HP MOTOR 115/230/60/1 (USED FOR 1D1,2D1,3D1)
UD130003	3/4 HP MOTOR 208/220/460/60/3 (USED FOR 2D3,3D3)
UD130023	1 HP MOTOR 208/230/60/1 (USED FOR 4D1,6D1)
UD130008	1 HP MOTOR 208/230/460/60/3 (USED FOR 3D3,4D3)
UD130012	1 1/2 HP MOTOR 115/230/60/1 (USED FOR 8D1)
UD130013	1 1/2 HP MOTOR 208/220/440/60/3 (USED FOR 8D3)
UD130006	3 HP MOTOR 208/230/460/60/3 (USED FOR 12D3)
UD130005	3/4 HP MOTOR 115/230/50/1 (USED FOR 1DX1,2DX1)
UD130006	3/4 HP MOTOR 240/415/50/3 (USED FOR 1DX3,2DX3)
UD130010	1 HP MOTOR 115/230/50/1 (USED FOR 1DX1, 4DX1,6DX1)
UD130011	1 HP MOTOR 240/415/50/3 (USED FOR 4DX3,3DX3,6DX3)
UD130015	1 1/2 HP MOTOR 240/415/50/3 (USED FOR 8DX3)
UD130018	3 HP MOTOR 240/415/50/3 (USED FOR 12DX3)
UD131901	IMPELLER SHIM (AS NEEDED)

